

A TRUSTED MANUFACTURER OF IMAGING ACCESSORIES INTO HEALTHCARE SINCE 1860; WE ARE YOUR ONE-STOP SHOP FOR ALL YOUR VETERINARY IMAGING NEEDS



X-RAY GENERATORS

WE SUPPLY A WIDE RANGE OF X-RAY GENERATORS FOR A NUMBER OF APPLICATIONS. A SAMPLE OF OUR RANGE ARE BELOW.



VET-100

POWERFUL AND COMPACT

Integrated high-performance capacitor for stable and reliable power supply

Power: 5,0kW, 110kV/100mA, 75kHz, High Frequency Range: 40-110kV, 1kV Step, 0,1 -200mAs.

Focal Spot: 1,5mm - APR Library, PROM Memories: 750, Touch panel display

Aluminium carrying case (included)

Net Weight : 19,6 Kg, Dual laser, LED lamp



VET-20BT

ULTRALIGHT BATTERY POWERED

Hybrid: Operation by internal battery or external power supply

Power: 1,6kW, 90kV/20mA, 75kHz, High Frequency

Range: 50-90kV, 1kV Step, 0,4-20mAs, Focal Spot 1,2mm

APR Library, PROM Memories: 21, Touch panel display

Remote control function by hand switch, Aluminium carrying case (included)

Full charging time: approx. 4 hours, Max. 560 exposures by one charging

Net Weight: 7.2 Kg, Dual laser, LED lamp



VET-20BT PLUS

LIGHTWEIGHT X-RAY UNIT FOR MOBILE USE

Hybrid: Operation by internal battery or external power supply

Power: 1,6kW, 100kV/20mA, 70kHz, High Frequency

Range: 40-100kV, 1kV Step, 0,3-50mAs, Focal Spot: 1.2mm

APR Library, PROM Memories: 15, Touch panel display

Remote control function by hand switch, Aluminium carrying case (included)

Full charging time: approx. 4 hours, Max. 560 exposures by one charging

Net Weight: 11.2 Kg, Dual laser, LED lamp



VET-40BT

HIGH POWERED X-RAY UNIT

Hybrid: Operation by internal battery or external power supply

Power: 2.4kW, 100kV/35mA, 75kHz, High Frequency

Range: 40-100kV, 1kV Step, 0,4-100mAs, Focal Spot 1,2mm

APR Library, PROM Memories: 21, Touch panel display

Remote control function by hand switch, Aluminium carrying case (included)

Full charging time: approx. 4 hours, Max. 650 exposures by one charging

Net Weight: 14.2 Kg, Dual laser, LED lamp

PXMS-1800 STAND

MOBILE STAND FOR PORTABLE X-RAY UNITS (MAX HEIGHT 1800MM)



VET X-RAY TABLES

COMPATIBLE WITH GENERATORS ABOVE

TKF - VETERINARY X-RAY TABLE (162 X 96 X 210 CM) 4-WAY FLOATING TABLE TOP (LENGTH: 162CM) **TKF2 -** VETERINARY X-RAY TABLE (149 X 86 X 200 CM) 4-WAY FLOATING TABLE TOP (LENGTH: 149CM) **DYNAVUE** -INTEGRATED DR AND FLUOROSCOPE IMAGING TABLE; LARGE FOV; 4-WAY FLOATING TABLE







WSR Medical Solutions Limited Unit E Bridgewater Close Network 65 Business Park Burnley Lancashire BB11 5TE Tel: + 44 (0) 1706 830086 e-mail: sales@rothband.com web: www.rothband.com www.xray4vets.com

All of the product photos, colours and designs contained within this catalogue serve only as a representation. Colour and design deviations may occur as a result of the printing process and product development activities.





ASPECT MARKERS

CUSTOMISED MARKERS

LEFT AND RIGHT AS STANDARD, BUT OTHER OPTIONS AVAILABLE







ORDER CODE	DESCRIPTION	DIMENSION
CL1A	AP CLIP-ON MARKER - CAN BE CUSTOMISED	50 X 20
CL1P	PA CLIP-ON MARKER - CAN BE CUSTOMISED	50 X 20
LL1R	RIGHT PERSPEX RECTANGULAR MARKER - CAN BE CUSTOMISED	25 X 20
LL1L	LEFT PERSPEX RECTANGULAR MARKER - CAN BE CUSTOMISED	25 X 20
TABSR	RIGHT TAB MARKER - CAN BE CUSTOMISED	35 X 20
TABSL	LEFT TAB MARKER - CAN BE CUSTOMISED	35 X 20




SANDBAG SETS

ALL SANDBAGS MANUFACTURED IN-HOUSE.

FIXED SETS AND CUSTOM DESIGNS **AVAILABLE**

STANDARD VET SET:

530MM X 100MM (2KG) 200MM X 100MM (500G) 380MM X 150MM (2.5 KG) 460MM X 100MM (1.5KG) 305MM X 200MM (2.5 KG)



FOAM PAD SETS

AVAILABLE IN PLAIN FOAM, CLOSED CELL AND WIPEABLE FABRIC

STANDARD SETS AND CUSTOM DESIGNS AVAIL-ABLE

ORDER CODE:

PLAIN FOAM - FP01 CLOSED CELL FOAM - FP01L WIPEABLE COVER - FP01Z



DO YOU HAVE A SPECIFIC NEED?

We can make sand bags to order in any dimension and any weight. if our standard range does not meet your requirements, please do not hesitate to get in touch.



LEAD CURTAINS

CUSTOM MADE TO YOUR SPECIFICATION

0.25/0.35/0.5/1.00MMPB

1300MM MAX WIDTH PANEL (PANELS CAN BE JOINED)

CALL US FOR A DESIGN CONSULTATION

WARNING LIGHTS

WSR2874 - DIMENSIONS: 326 X 194 X 73MM LED'S: 2 X LED STRIP

SECTIONS: TWIN

WSR1 - TREFOIL/RESTRICTED ACCESS STICK-ON SIGN

WSAB - RADIATION TREFOIL BLACK ON YELLOW

WSF1 - FREE-STANDING RADIATION A-FRAME

OTHER SIZES AND OPTIONS AVAILABLE



LEAD SHIELDING

AVAILABLE AS PLASTERBOARD, PLYWOOD AND LAMINATED PANELS

AVAILABLE AS FIXED OR MOBILE STRUCTURES (IN-CLUDING DOORS)

ANY CODING AVAILABLE

FULL DESIGN SERVICE WITH COMPETITIVE PRICING



WSF1

Danger

















RADIATION PROTECTION APRONS

DIRECT FROM THE MANUFACTURER

LIGHTWEIGHT LEAD AND LEAD FREE OPTIONS AVAILABLE THE LIGHTEST CORE MATERIALS IN THE UK MARKET

FULL RANGE OF LEAD EQUIVALENCE

FULLY CUSTOMISABLE

VISIT WWW.XRAY4VETS.COM FOR FULL APRON CONFIGURATOR AND ORDER CODES







APRON CUSTOMISATION











THYROID COLLARS

3 DESIGNS TO CHOOSE FROM

AVAILABLE IN 0.35 MM PB & 0.5 MM

SAME DESIGN CHOICES AS APRONS





OPEN PALM MITTENS - OP

OPEN PALM SECTION ALLOWING FULL MOVEMENT

AVAILABLE IN A CHOICE OF CORE MATERIALS AND LEAD EQUIVALENCE



CRICKET PADS - CP

LOWER LEG PROTECTION

0.25/0.35/0.5MMPB

AVAILABLE WITH AND WITHOUT FOOT PANEL



GLOVES - GV5MPR

0.5MM PB GLOVES

SEAMLESS DESIGN

FULL WIPEABLE



MOBILE RAIL

10 APRON CAPACITY

HEAVY DUTY WHEELS

ORDER CODE: HA10K



BUDGET RAIL

10 APRON CAPACITY

SIMPLE, HEAVY DUTY DESIGN

INCLUDES 10 HANGERS

ORDER CODE: HA171K



WALL-MOUNTED HANGER

5 APRON CAPACITY

LEFT OR RIGHT SWING

ORDER CODE: HA5KR/L

WIRELESS AND TETHERED DR SYSTEMS

WITH OVER 20 YEARS EXPERIENCE IN DIGITAL IMAGING MODALITIES, ROTHBAND HAVE BEEN A KEY SUPPLIER OF DICOM EQUIPMENT TO THE HEALTHCVARE INDUSTRY FOR 20 YEARS.

WE HAVE WORKED HARD TO SOURCE A DR SOLUTION SUITABLE FOR THE VET MARKET THAT IS RELIABLE, EASY TO USE AND HAS GREAT IMAGE QUALITY AT A PRICE THAT IS

COMPETITIVE.










Optimized UI Design for Touch Screen

IMAGING AND ANNOTATION TOOLS

WINDOW LEVEL, ZOOM, PAN, CROP, INVERT, ROTATION, ANGLE, LABEL, TEXT

USER FEATURES

IMAGE STITCHING, IMAGE IMPORT / EXPORT, IMAGE COMPARISON, MULTI VIEW, IMAGE EXPANSION, FULL SCREEN, AUTO COLLIMATION, REJECT/ACCEPT SMART WINDOW LEVEL DICOM 3.0 COMPATIBILITY POST-IMAGE PROCESSING FOR EACH BODY PART



EQUINE AND COMPANION SOLUTIONS AVAILABLE

DR CONVERSION PACKAGE

- DR ACQUISITION PLATE
 - TETHERED OR WIRELESS
 - 35 X 43CM OR 24 X 30CM
- LAPTOP COMPUTER
 - DESKTOP PC AVAILABLE
- VET SPECIFIC ACQUISITION SOFTWARE
- 1TB SSD STORAGE
- TRANSPORTATION CASE
- DR PLATE PROTECTION CASE
- OPTIONAL PACS ARCHIVE

VERY COMPETETIVE PRICING

CARBON FIBRE GRIDS

AVAILABLE IN PARALLEL OR FOCUSSED FORMATS FOCUSSED GRIDS HAVE A FOCAL DISTANCE OF 100-105CM - OTHERS AVAILABLE ADD (P) FOR PARALLEL OR (F) FOR FOCUSSED TO THE END OF THE GRID

Size	40 Lines Order Code	Ratio	70 Lines Order Code
24 x30	C243840	8:1	C243870
35 x 43	C354840	8:1	C354870



WE HAVE A FULL RANGE OF GRIDS AVAILABLE WITH EXPERT ADVICE ON-HAND FROM OUR RADIOGRAPHERS



YELLOW

SCATTER MATS

HARD WEARING VINYL COATING

EASY TO CLEAN

0.25, 0.35, 0.5, 1.0 MM PB LE AVAILABLE

ANY DIMENSION AVAILABLE

STARTING FROM £95 + VAT

PROTECT-A-GRID



THE PROTECT-A-GRID DR PANEL PREMIUM GRID ENCASEMENT ALLOWS FOR SAFE & EFFECTIVE EXAMINATIONS WHEN USING DIRECT RADIOGRAPHIC PLATES

PLEASE PROVIDE US WITH DETAILS OF YOUR EQUIPMENT MANUFACTURER & THE SIZE OF THE PLATE YOU REQUIRE

THIS IS AVAILABLE WITH AND WITHOUT A GRID

PLEASE CONTACT SALES@ROTHBAND.COM FOR INFORMATION REGARDING GRID SOLUTIONS

ONLY AVAILABLE IN 35X43 SIZES

ORDER CODE: PAG (WITHOUT GRID)



CARERAY CASES

DURABLE CARBON FIBER SHIELD FOR DR PLATES

IMPACT-ABSORBING EDGE. ENHANCED CORNERS FOR A SOLID, YET FLEXIBLE CARRIER

DUAL-POSITION HANDLE FOR COMFORTABLE TRANSPORT AND REDUCED DROP RISK

AVAILABLE IN 35X43 AND 24X30 SIZES

ORDER CODES:

CRDRPP3543 CRDRPP2430



MOBILE CASSETTE/DR PLATE HOLDER - Y

SUITABLE FOR PORTABLE DR PANELS AND CR OR FILM CASSETTES UNLIMITED ORIENTATION FOR UNIVERSAL POSITIONING POSSIBILITIES TELESCOPIC WIDTH ADJUSTABLE FROM 24.5 CM TO 53.5 CM EASY HEIGHT ADJUSTMENT FROM FLOOR LEVEL TO 142 CM ACCEPTS IMAGE RECEPTOR/CASSETTE UP TO 30 MM THICK OF ANY LENGTH HEAVY BASE AND LOW CENTRE OF GRAVITY GIVES ADDED STABILITY

ORDER CODE: CH05Y







